

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	306	717/139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:17
L2	111	717/139 and (native and (interpret\$3 or bytecode or byte-code or vm or jvm))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:19
L3	20	717/139 and (native and (interpret\$3 or bytecode or byte-code or vm or jvm)) and return adj (address or pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 15:20
S1	2	"6513156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:08
S2	68	generat\$3 adj (return\$3 adj address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:08
S3	2	generat\$3 adj (return\$3 adj address\$3) and native and (virtual or vm or jvm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:23
S4	2	generat\$3 adj (return\$3 adj address\$3) same native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:23
S5	3	(generat\$3 or calculat\$3 or obtain\$3 or process\$3) adj (return\$3 adj address\$3) same native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:29
S6	2	(generat\$3 or calculat\$3 or obtain\$3 or process\$3) adj (return\$3 adj address\$3) and (mixed near5 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:30

S7	0	(return\$3 adj address\$3) same (mixed near5 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:30
S8	22	(return\$3 adj address\$3) and (mixed near5 execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 08:30
S9	142	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 14:46
S10	10672	interpret\$3 and native and (switch\$3 or alternat\$3 or call\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:29
S11	10715	interpret\$3 and native and (switch\$3 or alternat\$3 or call\$3 or invok\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:30
S12	98	interpret\$3 same native and (switch\$3 or alternat\$3 or call\$3 or invok\$3) and (return adj address) and point\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 12:20
S13	80	interpret\$3 same native and (switch\$3 or alternat\$3 or call\$3 or invok\$3) and (return adj address) and point\$3 and stack and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 13:54
S14	13	("4463423" "5367685" "5418964" "5740441" "5761477" "5784553" "5787431" "5848274" "5848423" "5857197" "5864862" "5907707" "5913065").PN.	USPAT	OR	ON	2003/10/07 13:19
S15	28	"6081665".URPN.	USPAT	OR	ON	2003/10/07 13:24
S16	693	interpret\$3 and native and (("32" adj bit) or 32-bit) and (8-bit or bytecode or byte-code or ("8" adj bit) or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 15:29

S17	84	interpret\$3 same native and ((("32" adj bit) or 32-bit) same (8-bit or bytecode or byte-code or ("8" adj bit) or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:46
S18	7	("5335344" "5367685" "5381547" "5590331" "5675801" "5761513" "5787431").PN.	USPAT	OR	ON	2003/10/07 15:42
S19	10	"5923878".URPN.	USPAT	OR	ON	2003/10/07 15:46
S20	45759	photon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:46
S21	163	photon same interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:47
S22	23	photon same interpret\$3 and ARM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:47
S23	2	photon same interpret\$3 and ARM and native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:47
S24	2	photon same interpret\$3 and ???/??? ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 16:48
S25	135	memory and (native and (bytecode or byte-code)) near3 instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 17:09
S26	0	memory and (native and (bytecode or byte-code)) near3 instruction and (memory adj arrangement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/07 17:09
S27	2	"6317872".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/08 16:10

S28	339	interpret\$3 near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 07:29
S29	25	interpret\$3 near5 (store\$3 near3 cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:04
S30	0	(instantiat\$3 near3 interpret\$3) near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:05
S31	49	dual near5 compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:06
S32	67	hybrid near5 compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:25
S33	49	(dual near5 compil\$5) not (hybrid near5 compil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:27
S34	6	(dual near5 compil\$5) not (hybrid near5 compil\$5) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:27
S35	1556	interpret\$3 and native and (switch\$3 or alternat\$3 or call\$3) and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:29
S36	756	interpret\$3 and native and (switch\$3 or alternat\$3 or call\$3 or invok\$3)and instruction and address and register and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:31
S37	362	((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 08:44

S38	134	((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:15
S39	40	(cross-platform or (cross adj platform)) near3 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:24
S40	402	((("6158045".PN. and (((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register)) or 32-bit or 32bit) and (java or bytecode or byte-code or byte) and (compil\$5 same interpret\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:31
S41	747	709/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:57
S42	520	709/310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:32
S43	454	709/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:33
S44	543	712/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:41
S45	247	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:39

S46	0	712/209.ccls. and (("6295642".PN. and (((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register)) and ("6158045".PN. and (((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:40
S47	1	712/209.ccls. and (hll and bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:40
S48	0	712/245.ccls. and (("6295642".PN. and (((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register)) and ("6158045".PN. and (((interpret\$3 or vm or (virtual adj machine)) same compile) and (hll or high-level or 32bit or 32-bit or ("32" adj bit) or native) same (bytecode or byte-code or (byte adj code) or 8bit or 8-bit or bit or java) and address and return and stack and register)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:41
S49	0	712/245.ccls. and (hll and bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:41
S50	0	712/245.ccls. and (32-bit and bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:41
S51	28	712/245.ccls. and (interpret\$5 and compil\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:51

S52	7	712/245.ccls. and (mix\$3 near3 instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:52
S53	1	709/100.ccls. and (risc or cisc) same (bytecode or byte-code or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:55
S54	0	709/100.ccls. and (32bit) same (bytecode or byte-code or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:56
S55	1	709/100.ccls. and (32-bit) same (bytecode or byte-code or java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 11:56
S56	47	709/100.ccls. and (compil\$5 same interpret\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 12:46
S57	0	"712"".""300".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 12:46
S58	264	712/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 12:52
S59	247	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 12:47
S60	382	712/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 12:47
S61	145	cross adj language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 13:05

S62	20	persistent near3 (vm or (virtual adj machine))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 13:28
S63	1	z8 and (zylog or zylogue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 15:30
S64	2	"5504930".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/09 15:31
S65	2	"6513156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/19 17:00
S66	0	"6513156".pn. and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/19 17:00
S67	1	"6513156".pn. and stack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/19 17:00
S68	192	(interpreter or vm or (virtual adj machine)) near5 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:25
S69	131	(interpreter or vm or (virtual adj machine)) near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:26
S70	29	(interpreter or vm or (virtual adj machine)) near3 (stor\$3 or locat\$3) near3 cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:50
S71	985	(interpreter or vm or (virtual adj machine)) near3 (speed or fast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:51

S72	186	(interpreter or vm or (virtual adj machine)) near3 (frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:51
S73	19	((interpreter or vm or (virtual adj machine)) near3 (speed or fast)) and ((interpreter or vm or (virtual adj machine)) near3 (frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:58
S74	2	((interpreter or vm or (virtual adj machine)) near3 (speed or fast)) and ((interpreter or vm or (virtual adj machine)) near3 (frequency)) and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/21 13:58
S75	2	"6513156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/29 16:46
S76	1	"6513156".URPN.	USPAT	OR	OFF	2004/04/29 16:46
S77	15	("5329611" "5367685" "5586328" "5758162" "5768593" "5845298" "5898850" "5905895" "5925123" "5953736" "6038394" "6044220" "6118940" "6170083" "6332216").PN.	USPAT	OR	OFF	2004/04/29 16:50
S78	2	"6513156".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:21
S79	280	neville.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 09:21
S80	24	(edward near2 neville).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 11:20
S81	11	("6513156" "6081665" "6151703" "6298434" "6564241").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 11:22

S82	0	("6513156" "6081665" "6151703" "6298434" "6564241").pn. and (most or majority or many or all) near3 native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/10 11:23
S83	759	execut\$3 same (native near5 (bytecode or vm or jvm or (virtual adj machine) or interpret\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:17
S84	33	execut\$3 same (native near5 (bytecode or vm or jvm or (virtual adj machine) or interpret\$6)) same (instruction near3 return)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:49
S85	202	717/153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:49
S86	183	717/153 and instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:50
S87	89	717/153 and (single or one) near3 instruction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:50
S88	6	717/153 and (single or one) near3 instruction same (interpret\$3 and native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:56
S89	551	712/209	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:56
S90	27	712/209 and (single or one) near3 instruction same (interpret\$3 and native)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 07:56
S91	3	712/209 and (single or one) near3 instruction same (interpret\$3 and native) and ((call\$3 or invok\$3) near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 08:03

S92	1536	709/100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 08:02
S93	1	709/100 and (single or one) near3 instruction same (interpret\$3 and native) and ((call\$3 or invok\$3) near2 interpreter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/31 08:03